Miele

Operating instructions



Gas hob
KM 406

To avoid the risk of accidents or damage to the appliance it is **essential** to read these instructions before it is installed and used for the first time.

GB IRL ZA

M.-Nr. 04 930 751

Contents

Description of the appliance 3

Warning and Safety instructions 4

Caring for the environment 11

Before using for the first time 12
General notes 12
Cleaning and heating up for the first time 12

Using the gas hob 13
Switching on, Switching off, Control 13
Settings 14
Woks 15
Pans 15
Safety cut-out 16
Use during a power cut 16

Cleaning and care 17
General notes 17
E-Cloth 17
Pan support, control 18
Glass surface 18
Burner 19

Problem solving guide 21

Connection to services 22
Gas connection 22
Electrical connection 23

After sales service 25
Data plate 25



① Trivet
② Pan support
③ Small burner cap
④ Large burner cap
⑤ Burner collar ring
⑥ Large burner cap base
⑦ Ignition safety device
⑧ Ignitor
⑨ Burner base
⑩ Air inlet with cover plate
⑪ Control for burner
⑫ Mains connection cable
⑬ Plug

Depending on country of destination, the appliance may be supplied with or without a plug. The plug shown is for illustration only.

Warning and Safety instructions

Gas-heated appliances
Safety precautions to take if you smell gas

- Turn off the gas emergency control valve immediately.
  This is usually located near the gas meter.
- Eliminate all sources of ignition in a safe manner.
  Do not smoke, light cigarette lighters or matches.
- Do not operate electrical lights or switches, i.e. do not switch them "On" or "Off".
- Open all doors and windows to ventilate the area.
- If the smell of gas persists, evacuate the building.

In the U.K you must now:

- Call TRANSCO (Tel: 0 800 111 999)
- Arrange for an appointment of a **Corgi** registered gas installer to visit the site
  (Tel: Talking pages 0 800 600 900)

In other countries please follow relevant country specific procedures on gas.

Building in and connection

This appliance complies with all relevant legal safety requirements. Incorrect use can, however, lead to personal injury and damage to the appliance.

To avoid the risk of accidents and damage to the appliance, read these instructions carefully before using it for the first time. They contain important notes on the installation, safety, operation and care of the appliance.

Keep these instructions in a safe place for reference and pass them on to any future user.

The connection to the gas supply must be carried out by a suitably qualified and competent person in accordance with local and national safety regulations, e.g. a Corgi registered service technician in the U.K. If the appliance is supplied without a plug, or if the plug is removed, it must be connected to the mains electricity supply by a suitably qualified and competent electrician in strict accordance with local and national safety regulations. The manufacturer cannot be held liable for damage caused by incorrect installation or connection.

The electrical safety of this appliance can only be guaranteed when continuity is complete between it and an effective earthing system which complies with local and national safety regulations. It is most important that this basic safety requirement is present and tested regularly, and where there is any doubt, the household wiring system should be inspected by a qualified electrician. The manufacturer cannot be held liable for the consequences of an inadequate earthing system (e.g. electric shock).

Ensure that the gas pipe and electrical cable are installed in such a way that they do not touch any parts of the appliance which become hot. This could cause damage.

Do not connect the appliance to the mains electricity supply by an extension lead. Extension leads do not guarantee the required safety of the appliance (e.g. danger of overheating).

This equipment may only be installed in mobile installations such as ships, caravans, aircraft etc. if a risk assessment of the installation has been carried out by a suitably qualified engineer.

Correct usage

For safety reasons the appliance must only be used after it has been built in. This is necessary to ensure that all electrical components are shielded.

This appliance is intended for domestic use only and is not to be used for commercial purposes.

Use this appliance for the preparation of meals only. Any other usage is at the owner's risk and could be dangerous. The manufacturer cannot be held liable for damage caused by incorrect or improper use of the appliance.

Do not use the appliance to heat up the room. Due to the high temperatures radiated, objects near the appliance could catch fire. The life of the appliance could also be reduced.

Using the gas hob will cause a build-up of heat and moisture in the room in which it is installed. Ensure that the room has sufficient natural or mechanical means of ventilation, e.g. an extractor.

If the hob is used for very long periods of time, additional ventilation of the room may be necessary, e.g. by opening windows or doors, or running the extractor on the highest setting.

This appliance must not be set up or operated in the open air.

Make sure all the components of the gas burner have been correctly assembled before switching on.

Ensure that air inlet is never covered over with a cloth or anything else.

When using a cooker hood over the gas hob, ensure that the burner is always covered with a pan when in use. Otherwise flames could be drawn up by the suction of the cooker hood, parts of which could then be damaged or even set on fire.

Pans must be the correct size for the burner they are used on (see "Woks" and "Pans"). A pan which is too small will be unstable on the pan support. If the pan diameter is too large, flames can spread out to the sides and damage or burn the worktop, wall claddings or surrounding units and also parts of the hob. The manufacturer cannot be held liable for this type of damage.

Do not store any inflammable objects near the gas hob.

Safety with children

The appliance is only intended for use by adults who have read these operating instructions.

This appliance is not a toy! To avoid the risk of injury keep children well away and do not let them play with it or use the controls. They will not understand the potential dangers posed by it. They should be supervised whenever you are working in the kitchen.

Older children may use the appliance only when its operation has been clearly explained to them, and they are able to use it safely, recognising the dangers of misuse. Supervise its use by the elderly or infirm.

The appliance gets hot when in use and remains hot for quite a while after being switched off. To safeguard against burning, keep children well away from the appliance at all times.

Do not store anything which might arouse a child's interest in storage areas above or next to the appliance. Otherwise they could be tempted into climbing onto the appliance with the risk of burning themselves.

Keep all pans out of reach of children. Turn pan handles inwards away from the edge of the hob. Danger of burning or scalding.

Packaging, e.g. cling film, polystyrene and plastic wrappings must be kept out of the reach of babies and young children. Danger of suffocation. Dispose of or recycle all packaging safely as soon as possible.

Before disposing of an old appliance, disconnect it from the gas and electricity supplies. Cut off and render any plug useless. Cut off the cable directly behind the appliance to prevent misuse. This should be done by a competent person.

Protecting the appliance from damage

Do not drop anything on the glass surface. Even a light object could cause damage in certain circumstances.

Unless the pan manufacturer states that you can do so, do not use pans with very thin bases on this hob, and never heat up empty pans as they could get damaged. This could also damage the appliance.

Do not use a steam cleaner to clean this appliance. The steam could reach electrical components and cause a short circuit. Pressurised steam could also cause permanent damage to the surface and to other components, for which the manufacturer cannot accept liability.

KM 405-3
Take care when cleaning the control panel. It is susceptible to scratching and acidic agents. To prevent the risk of residual marks please wipe any soiling off as soon as possible.

In countries where there are areas which may be subject to infestation by cockroaches or other vermin, pay particular attention to keeping the appliance and its surroundings in a clean condition at all times. Any damage which may be caused by cockroaches and other vermin will not be covered by the appliance guarantee.

Protection from burning

The appliance gets hot when in use, and remains hot for quite a while after being switched off. Do not touch it whilst it is still hot.

To avoid burning yourself, use oven gloves. Ensure that these do not come into contact with the flames. Do not use large cloths, tea towels or similar as the ends could touch the flames and catch fire. Take care not to let the gloves get damp or wet, as this causes heat to transfer through the material more quickly with the risk of scalding or burning yourself.

Do not heat up unopened tins of food on the hob as pressure will build up in the tin and it can explode. This could result in injury and scalding or damage.

Do not use the hob as a resting place for anything else. The article could melt or catch fire if residual heat is still present or if the appliance is switched on by mistake.

Do not cover the appliance, e.g. with a cloth, kitchen foil, etc. This could be a fire hazard if the appliance is switched on by mistake.

Remove splashes of fat and other food debris from the surface as soon as possible. These are a fire hazard.

Never leave the appliance unattended when cooking with oil or fat as these are fire hazards if overheated. Very hot oil can catch fire and could even set a cooker hood above on fire. Always heat fat slowly, watching as it heats.

If, despite this, oil or fat does catch fire, do not attempt to put out the flames with water. Use a suitable fire extinguisher or fire blanket, saucepan lid, damp towel or similar to smother the flames.

Do not flambé under a cooker hood. The flames could set the cooker hood on fire.

Ensure that the flames from the burner do not spread out beyond the base and up the sides of the pan.

Appliance faults

In the event of damage or a defect, switch off the appliance immediately. Turn off the gas supply tap, and disconnect completely from the electricity supply. If the appliance has not yet been fully installed, the electricity cable must be disconnected from the supply point. If connected via a plug and socket, switch off at the socket and withdraw the plug. Contact the Service Department.
Do not reconnect the appliance to the mains electricity supply until after it has been repaired.

If there is any damage to the glass surface the appliance must be disconnected from the mains electricity and gas supplies immediately and not used until it has been repaired. Danger of electric shock.

Repairs to the gas and electrical components of this appliance must only be carried out by a suitably qualified person. Repairs and other work by unqualified persons could be very dangerous and could damage the appliance. The manufacturer cannot be held liable for unauthorised work. Never open the housing of the appliance.

While the appliance is under guarantee, repairs should only be undertaken by a service technician authorised by the manufacturer. Otherwise the guarantee is invalidated.

Further safety notes

When using an electric socket near the appliance, care should be taken that the cable of the electrical appliance does not come into contact with the hot appliance. The insulation on the cable could become damaged, giving rise to an electric shock hazard.

Always ensure that food is sufficiently cooked or reheated. Many factors will affect the overall cooking time, including the size and amount of food and its temperature. Some foods, e.g. poultry, may contain micro-organisms which are only destroyed by thorough cooking at a sufficiently high temperature for long enough. If in doubt, select a longer cooking or reheating time.

Do not use plastic or aluminium foil containers. These melt at high temperatures and could catch fire.

Spray canisters, aerosols and other inflammable substances must not be stored in a drawer under the hob. Cutlery inserts must be heat-resistant.

If the appliance has not been used for a longer period of time it should be thoroughly cleaned before it is used again. It is also advisable to have the appliance tested for safety. This should be done at regular intervals.

The manufacturer cannot be held liable for damage caused by non-compliance with these Warning and Safety instructions.

Disposal of packing material

The transport and protective packing has been selected from materials which are environmentally friendly for disposal and can normally be recycled.

Packaging, e.g. cling film, polystyrene and plastic wrappings must be kept out of the reach of babies and young children. Danger of suffocation. Dispose of or recycle all packaging materials safely as soon as possible.

Disposal of your old appliance

Electrical and electronic appliances often contain materials which, if handled or disposed of incorrectly, could be potentially hazardous to human health and to the environment. They are, however, essential for the correct functioning of your appliance. Please do not therefore dispose of your old appliance with your household waste.



Please dispose of it at your local community waste collection / recycling centre and ensure that it presents no danger to children while being stored for disposal.

It should be unplugged or disconnected from the mains electricity supply by a competent person. If connected by a plug, the plug must be rendered useless and the cable cut off directly behind the appliance to prevent misuse.

General notes

Please stick the extra data plate for the appliance supplied with this documentation in the space provided in the "After sales service" section of this booklet.

Cleaning and heating up for the first time

Before using for the first time clean the hob and all removable parts as follows:

- The removable parts of the gas burner assembly can be washed in a mild solution of hot water and washing up liquid. Wipe dry and reassemble in the correct order (see "Cleaning and care").
- Clean the glass surface with a damp cloth only, and then wipe dry.

Metal components have a protective coating which may give off a slight smell when heated up for the first time. The smell and any vapours will dissipate after a short time and do not indicate a faulty connection or appliance defect.

Switching on, Switching off, Control

The control is used to switch on the burner and regulate the strength of the flame.



To switch on:

- Press in the control and then turn anti-clockwise to the large flame symbol.
- When the flame ignites, keep the control pressed in for 8-10 seconds, and then let it go.

If the flame goes out, repeat the procedure, keeping the control pressed in for a few extra seconds.

To regulate the burner setting:

- To turn the heat down from a high to a low setting turn the control anti-clockwise until there is a resistance. Briefly press to turn past the resistance. Then without pressing it in turn the control to the required setting.
- To turn the heat up from a low to a high setting, turn the control clockwise until there is a resistance. Briefly press to turn past the resistance. Then without pressing it in turn the control to the required setting.

To switch off:

- Turn the control clockwise until "●" is reached.

This stops the flow of gas and the flame goes out.

Remember: Turn anti-clockwise to switch on, turn clockwise to switch off.
Stop when you feel a resistance. Do not try to force the control further. The control cannot be turned anti-clockwise from the small flame symbol to the "●" position.

Using the gas hob

Settings

Setting	Description of the flame
●	gas is turned off
	strongest flame outer and inner rings both produce high flames
(2x)	strong flame outer flame ring burns on low, inner flame ring burns on high
	low flame inner flame ring burns on high
	very low flame inner flame ring burns on low

Control the flame so that it does not spread out beyond the sides of the pan. As the outer part of the flame is much hotter than the centre, the tips of the flames should stay beneath the pan base. Flame tips which extend beyond the sides of the pan merely warm up the air in the room , can damage the pan handles and can be a fire hazard.



Woks

This appliance is particularly suitable for wok cooking.

Pans

– For safety and stability, always use the trivet for pans with a **base diameter** of less than 16 cm. Do not use on the pan support alone.
When using smaller pans you should always turn the hob control to the lowest setting. If it is too high, flames can lick up the sides of the pan!



– Wide, shallow pans are preferable to tall, narrow ones. They will heat up faster.



– Pans with thick bases are preferable as these distribute heat more evenly. With thin bases, there is a danger of food overheating in places. Stir the food frequently.

– Any heat-resistant pans can be used on a gas burner.

– Remember when purchasing new pans that manufacturers usually refer to the diameter at the top of the pan in their documentation.

– Use a pan lid whenever possible to minimise heat loss.

Safety cut-out

This appliance is fitted with an electric ignition safety device which cuts off the supply of gas to a burner if the flame goes out, for example if food has boiled over, or if there was a sudden draught.

- To use the hob again, turn the control clockwise until the ● position is reached and switch on as normal.

The safety cut-out operates independently from the electricity supply. This means that it is still active when the hob is used during a power cut (see "Use during a power cut").

Use during a power cut

If there is an interruption to the electricity supply the gas can be ignited with a match:

- Press in the relevant control and turn it anti-clockwise to the large gas symbol.
- Hold the control pressed in and light the gas at the burner with a match.
- Keep the control pressed in for a further 8-10 seconds and then release it.

General notes

Clean the appliance regularly, preferably after each use. Allow the appliance to cool down to a safe temperature before cleaning.

Do not use a steam cleaner to clean this appliance. The steam could reach electrical components and cause a short circuit. Pressurised steam could also cause permanent damage to the surface and to other components for which the manufacturer cannot accept liability.

Do not use any sharp objects which could damage the seal between the glass surface and the surrounding frame and between the frame and the worktop.

Do not use any of the following on your hob as they can damage the surface:
cleaning agents containing sand, soda, alkalines, acids or chlorides, grill and oven sprays, dishwasher cleaner, stain or rust removers, scouring agents or cream cleaners, abrasive sponges and brushes.

Do not use washing up liquid to clean the ceramic surface as it can leave a blue sheen which may be difficult to remove.

When using a glass cleaning agent follow the manufacturer's instructions on the packaging.

Do not let the ignitor in the burner get wet. If it gets wet it will not spark.

After cleaning, dry thoroughly with a soft cloth to prevent a build up of limescale deposits.

E-Cloth

A microfibre "E-Cloth" is available from the Miele UK Spare Parts Department, which is suitable for cleaning surfaces such as stainless steel, glass, plastic and chrome without the use of chemicals.

Pan support, control

Remove the pan support.

Clean the pan support and the control with a solution of hot water and a little washing up liquid applied with a soft sponge. Soak stubborn soiling first to loosen it.

Finally, wipe dry using a soft cloth.

Glass surface

Wipe all coarse soiling off using a damp cloth.

Clean the glass surface with a solution of hot water and a little washing up liquid applied with a soft sponge. Soak stubborn soiling first to loosen it.

Finally wipe the hob surface with a damp cloth and then dry it with a clean soft cloth.

If wished, you can use a proprietary glass cleaning agent afterwards. Follow the manufacturer's instructions.

Burner

The burner can be dismantled for cleaning once it has cooled down.

Dismantle the burner as follows:

- Take off all the removable parts of the burner and wash in a solution of hot water and washing up liquid. Then dry them all thoroughly. Make sure that the flame holes are clean and completely dry.

The surfaces of the two burner caps will become more matt with time. This is quite normal and will not affect the operation of the hob.

- Wipe the fixed parts of the burner base with a damp cloth and dry afterwards.
- Gently wipe the ignitor and the ignition safety device with a well wrung-out cloth and wipe dry with a clean cloth.



Re-assemble the burner as follows (see illustration):

- Fit the large burner cap base on to the burner base ①.
- Fit the burner collar ring.
- Fit the large burner cap on the large burner cap base ②.
- Fit the small burner cap.
- Put the pan support in place ③.
- Put the trivet in place if required.

Important: replace parts in the correct order after cleaning.

1. Do not replace the parts upside down.
2. The locating tabs must fit exactly into the notches.

Repairs to the gas and electrical components of this appliance must only be carried out by a suitably qualified and competent person in strict accordance with current local and national safety regulations to ensure safety. Unauthorised repairs could be dangerous. The manufacturer cannot be held liable for unauthorised work.

However, some minor problems can be resolved as follows:

What to do if ...

... the burner does not ignite after several attempts

Check whether

- the burner is correctly assembled.
- the gas supply tap is turned on.
- the burner is dry and clean.
- the flame slits are clean and unblocked.
- The mains fuse has blown. If this is the case, call an electrician or the Service Department. (The gas can be lit with a match). See "Use during a power cut".

... the gas flame goes out after being lit

Check whether the burner covers are correctly assembled.

... the ignitor on the burner does not spark

Check whether food deposits have lodged themselves between the ignitor and the burner cover.
Carefully remove any soiling. Do not let the ignitor get wet.

... the flame suddenly looks different

Check whether the burner is correctly assembled.

Connection to services

Important

This appliance should be installed with appropriate space on either side. See Installation Instruction Booklet before making the gas and electrical connection.

Gas connection

Connection to the gas supply, or conversion from one type of gas to another should only be undertaken by an approved and registered gas installer in strict accordance with local and national safety and building regulations, (e.g. Corgi registered in the U.K.) Every appliance should have its own isolating valve and test point.

Check with your local gas supplier about the type of gas and its calorific value, and compare this information with the type of gas quoted on the hob data plate.
The installer is responsible for ensuring that the appliance functions correctly when installed.

The gas installation must be made in such a way that the isolating valve is visible and easily accessible after the appliance has been built in.

Depending on country, the hob is supplied ready for connection to natural gas or to liquid gas (refer to label on the appliance).

Category EN 30:
United Kingdom:
GB II 2 H 3 + 20 mbar, 28-30/37 mbar.
Ireland:
IE II 2 H 3 + 20 mbar, 28-30/37 mbar.

Depending on country, a set of jets for conversion to natural or liquid gas is included with the hob.
Please contact your dealer or agent for the appropriate conversion jets if necessary.

Conversion to another type of gas is described in the separate Installation Instructions supplied with this hob.

A test for possible leakages must be carried out after installation.

Safety regulations demand that a pressure test nipple is installed near a gas hob to allow an engineer to test the pressure following servicing.

Electrical connection

All electrical work should be carried out by a suitably qualified and competent person, in strict accordance with current local and national safety regulations (BS 7671 in the UK).

Installation, repairs and other work by unqualified persons could be dangerous. The manufacturer cannot be held liable for unauthorised work.

Ensure power is not supplied to the appliance until after installation or repair work has been carried out.

The appliance must only be operated when built-in. This is to ensure that all electrical parts are shielded. Live parts must not be exposed.

Do not connect the appliance to the mains electricity supply by an extension lead. These do not guarantee the required safety of the appliance.

Please make sure that the connection data quoted on the data plate match the household mains supply.

Connection should be made via a suitable isolator or a double pole fused spur connection unit which complies with national and local safety regulations and the on/off switch should be easily accessible after the appliance has been built in.

If the switch is not accessible after installation (depending on country) an additional means of disconnection must be provided for all poles.

For extra safety it is advisable to install a residual current device (RCD) with a trip current of 30 mA.

When switched off there must be an all-pole contact gap of 3 mm in the isolator switch (including switch, fuses and relays).

Important U.K.

This appliance is supplied for connection to a single phase 230-240 V 50 Hz supply with a 3-core cable.

The wires in the mains lead are coloured in accordance with the following code:

Green/yellow	= earth
Blue	= neutral
Brown	= live

WARNING
THIS APPLIANCE MUST BE EARTHED

Connection to services

Important

The electrical safety of this appliance can only be guaranteed when continuity is complete between it and an effective earthing system, which complies with current local and national safety regulations. It is most important that this basic safety requirement is present and regularly tested and where there is any doubt, the electrical wiring in the home should be inspected by a qualified electrician. The manufacturer cannot be held liable for the consequences of an inadequate earthing system such as an electric shock.

The manufacturer cannot be held liable for damage which is the direct or indirect result of incorrect installation or connection.

In the event of any faults which you cannot remedy yourself, please contact

– Your Miele Dealer

or

– The Miele Service Department (see address on back cover).

When contacting the Service Department, please quote the model and serial number of your appliance. These are given on the data plate.

Please note that telephone calls may be monitored and recorded for training purposes.

Data plate

Space in which to stick the extra data plate supplied with the appliance. Ensure that the model number is the same as the one on the front of these operating instructions.

United Kingdom:
Miele Co. Ltd.
Fairacres, Marcham Road
Abingdon, Oxon, OX14 1TW
Tel.: (01235) 554455
Fax.: (01235) 554477
Service Office Tel.: (08707) 554466
E-mail: info@miele.co.uk
Internet: www.miele.co.uk

Ireland:
Miele Ireland Ltd.
Broomhill Road, Tallaght, Dublin 24
Tel: (01) 46 10 710, Fax: (01) 46 10 797
Email: info@miele.ie
Internet: http://www.miele.ie

Australia:
Miele Australia Pty. Ltd.
A.C.N. 005635398
1 Gilbert Park Drive
Knoxfield, VIC 3180
Telephone: (03) 9764 7100
Fax: (03) 9764 7129
Internet: www.miele.com.au

Distributor New Zealand:
Steelfort Engineering Company. Ltd.
500 Rangitikei Street
Palmerston North, Priv. Bag 11045, NZ
Telephone: (06) 350 1350
Fax: (06) 356 1507

South Africa:
Miele (Pty) Ltd
63 Peter Place
Bryanston 2194
P.O. Box 69434
Bryanston 2021
Tel.: (011) 548 1900
Telefax (011) 548 1935
E-mail: info@miele.co.za
Internet: www.miele.co.za

Singapore:
Miele Southeast Asia
Miele Pte. Ltd.
163 Penang Road
04 - 02/03 Winsland House II
Singapore 238463
Tel : +65-67351191
Fax: +65-67351161
Email: infosea@miele.com.sg
Internet: www.miele.sg

Hong Kong:
Miele (Hong Kong) Limited
AIA Plaza, 24th Floor
18 Hysan Avenue
Causeway Bay
Hong Kong
Tel.: (852) 2610 1331
Fax: (852) 2610 1013
E-mail: mielehk@miele.com.hk

Alteration rights reserved / 4606

M.-Nr. 04 930 751 / 08
en - –